

Infinique Digital Security System

Catalogue 2010


Infinique Digital Security System

Catalogue 2010



Design and specification are subject to change without notice.

DISTRIBUTED BY



Infinique Worldwide Inc
151 Brunel Road
Mississauga, Ontario
Canada L4Z 2H6
Toll Free : +1-866-516-1023
Tel: +1-416-876-3743
www.infinique.com

Infinique EMEA FZC
PO Box 122117
R4-24, Sharjah Airport Free Zone
Sharjah, United Arab Emirates
Tel: +971-6-5579447
www.infinique.ae



© 2010 Infinique. All rights reserved. This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution and recompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Infinique Worldwide Inc and its licensors, if any.

www.infinique.com



Secure your assets



Professional Digital Video Security Solutions

For nearly a decade, Infinique has strived to support its customers with a spirit of innovation and excellence bundled with a very high quality service. These are the core qualities which form the basis for everything we do at Infinique. This drives us to provide a quality line of products which are future proof. Our catalogue represents our expertise, detailing the latest innovations and key products in each of Infinique's Professional Digital Video Security Solution.



Infinique Digital Security Systems

Infinique is a leading manufacturer of Professional Digital Video Security Systems helping organizations to reduce loses, mitigate risks and improve security and operational efficiency.

PRODUCT LINE UP

PTZ DOME CAMERA		SUPER NIGHT VISION CAMERA	
ISDOS36 1/4" Sony EXview HAD CCD, 36X, WDR, DSS, 530 TVL, Outdoor, Day and Night .00001 LUX		IFSNV37/33/27X4 1/4" Sony Super HAD CCD, 550 TVL, 37x/33x/27x Optical Zoom, IR Visible Range 150M	
ISDOS26 1/4" Sony EXview HAD CCD, 26X, WDR, DSS, 530 TVL, Outdoor, Day and Night .00001 LUX		IFSNV37/33/27X2 1/4" Sony Super HAD CCD, 550 TVL, 37x/33x/27x Optical Zoom, IR Visible Range 100M	
ISDIS36 1/4" Sony EXview HAD CCD, 36X, WDR, DSS, 530 TVL, Indoor, Day and Night .01 LUX		IFSNV10X2 1/4" Interline Transfer CCD, 550 TVL, 10x Optical Zoom, IR Visible Range 50M,	
ISDIS26 1/4" Sony EXview HAD CCD, 26X, WDR, DSS, 530 TVL, Indoor, Day and Night .01 LUX		IFSNV10 1/4" interline Transfer CCD, 550 TVL, 10x Optical Zoom, IR Visible Range 50M	
ISDOH35 1/4" Honeywell HAD CCD, 35X, WDR, DSS, 480 TVL, Outdoor, Day and Night .01 LUX		PAN TILT DOME CAMERA	
ISDOH25 1/4" Honeywell HAD CCD, 25X, WDR, DSS, 480 TVL, Outdoor, Day and Night .01 LUX		IPTI560F/V9/V 1/3" Sony Super HAD CCD, Indoor 560TVL, 3.6mm Fixed / 4~9mm Varifocal / 2.8~12mm Varifocal	
ISDIH35 1/4" Honeywell HAD CCD, 35X, WDR, DSS, 480 TVL, Indoor, Day and Night .01 LUX		IPTO560F/V9/V 1/3" Sony Super HAD CCD, Outdoor 560TVL, 3.6mm Fixed / 4~9mm Varifocal / 2.8~12mm Varifocal	
ISDIH25 1/4" Honeywell HAD CCD, 25X, WDR, DSS, 480 TVL, Indoor, Day and Night .01 LUX		WDR CAMERA	
ISDON37 1/4" Super Samsung HAD CCD, 37X, WDR, DSS, 550 TVL, Outdoor, Day and Night .0007 LUX		IWDRDI540V9/V 1/3" Pixim, 3-Axis Indoor 540 TVL, WDR, OSD, 4~9mm / 2.8~12mm Varifocal	
ISDON33 1/4" Super Samsung HAD CCD, 33X, WDR, DSS, 550 TVL, Outdoor, Day and Night .0007 LUX		IWDRDO540V9/V 1/3" Pixim, 3-Axis Outdoor, 540 TVL, WDR, OSD, 4~9mm / 2.8~12mm Varifocal	
ISDON27 1/4" Super Samsung HAD CCD, 27X, WDR, DSS, 550 TVL, Outdoor, Day and Night .0007 LUX		IWDRDI600D 1/3" Sony Super HD II CCD, Super WDR, 3D-DNR, 600 TVL, Dual Scan, DC12V/AC24V	
ISDIN37 1/4" Super Samsung HAD CCD, 37X, WDR, DSS, 550 TVL, Indoor Day and Night .0007 LUX		IWDRDO600D 1/3" Sony Super HD II CCD, Super WDR, 3D-DNR, 600 TVL, Dual Scan, DC12V/AC24V, Built-in OSD	
ISDIN33 1/4" Super Samsung HAD CCD, 33X, WDR, DSS, 550 TVL, Indoor, Day and Night .0007 LUX		IWDRB540V 1/3" Pixim, 540 TVL, WDR, OSD, C/CS Mount, DSS, Built-in OSD, Motion detection	
ISDIN27 1/4" Super Samsung HAD CCD, 27X, WDR, DSS, 550 TVL, Indoor, Day and Night .0007 LUX		IWDRB600/D/DA 1/3" Sony Super HD II CCD, Super WDR, 3D-DNR, 600 TVL, Dual Scan, 12V / DC12V-AC24V / AC 90~240V	
IMSDO10 1/4" Interline Transfer CCD, 10X, 500 TVL, DSS, OSD, Outdoor, Day and Night .7 LUX		IDP560FDW 1/3" Sony Super HAD CCD II, 560 TVL, 3.6mm Fixed Lens, 0.15 (0.0002) Lux, 3D-DNR, DSS, WDR	
IMSDI10 1/4" Interline Transfer CCD, 10X, 500 TVL, DSS, OSD, Indoor, Day and Night .7 LUX		IDP560DTW 1/3" Sony Super HAD CCD II, 560 TVL, ICR varifocal 2.8~11mm, Vandal Proof, 3D-DNR, DSS, TDN, WDR	
		IVDP560DTW 1/3" Sony Super HAD CCD II, 560 TVL, ICR varifocal 2.8~11mm, Vandal Proof, 3D-DNR, DSS, TDN, WDR	

PRODUCT LINE UP

INDOOR CAMERA		BULLET CAMERA		
IDP550F 1/3" Sony Super HAD CCD II, 550 TVL, 3.6mm Fixed Lens, Day and Night 0.2 Lux,	1P		IBP56016 1/3" Sony Super HAD CCD II, 560 TVL, ICR Varifocal 3.6~16mm, 0.2 Lux, Ø 29, IP66	
IDP560FD 1/3" Sony Super HAD CCD II, 560 TVL, 3.6mm Fixed Lens, Day and Night 0.1 Lux, 3D-DNR, DSS			IBP560DT50/11 1/3" Sony Super HAD CCD II, 560 TVL, ICR Varifocal 6~50mm / 2.8~11mm, 3D-DNR, DSS, Ø 60, IP66	
IDP550V 1/3" Sony Super HAD CCD II, 550 TVL, Varifocal 2.8~11mm, Day and Night 0.2 Lux			IRBP560DT9 1/3" Sony Super HAD CCD II, 560 TVL, ICR Varifocal 4~9mm, 0 Lux, 3D-DNR, DSS, TDN, Ø 70, 35M, IP66	
IDP560DT 1/3" Sony Super HAD CCD II, 560 TVL, ICR Varifocal 2.8~11mm, Day & Night 0.1 Lux, 3D-DNR, DSS, TDN			IRBP560DT11/50 1/3" Sony Super HAD CCD II, 560 TVL, ICR Varifocal 2.8~11mm / 5~50mm, 3D-DNR, DSS, TDN, Ø 90, Range 50M, IP66	
ID550F 1/3" Sony Super HAD CCD II, 550 TVL, 3.6mm Fixed			IHBP560DT16/50 1/3" Sony Super HAD CCD II, High Capacitor IR Bullet Camera, 560 TVL, ICR varifocal 3.6~16mm / 5~50mm, 0 Lux, 3D-DNR, DSS, TDN, Ø 90, 80M, IP66	
ID550V/V9 1/3" Sony HAD CCD, 550 TVL, Varifocal 2.8~12mm / 4~9mm Varifocal			SYSTEM CONTROLLER	
IDNI550F/V/V9 1/3" Sony HAD CCD, Nclosure Dome, 550 TVL 3.6mm Fixed / 2.8~12 / 4~9 mm Varifocal, 0.7 LUX			IFSD-SC2 Infinique System Controller for Cameras	
IBX550 1/3" Sony CCD, Box Color Camera, 550 TVL, OSD, Without Lens			ACCESSORIES	
VANDAL PROOF DOME		FOR PTZ DOME CAMERA		
IVDP560DT 1/3" Sony Super HAD CCD II, 560 TVL, Vandal Proof, ICR Varifocal 2.8~11mm, 0.1 (0.0002) Lux, 3D-DNR, DSS, TDN			IBSDWM IBSDCE IBSDCR IBSDPM IBSDRM IBSDPA IBSDSN IBSDSS	
IDNO550F 1/3" Sony Super HAD CCD II, 550 TVL, Vandal Proof, 3.6mm Fixed Day and Night .7 LUX			FOR MINI SPEED DOME CAMERA	
IDNO550V/V9 1/3" Sony Super HAD CCD, 550 TVL, Vandal Proof, 2.8~12mm / 4~9mm Varifocal Lens, Day and Night .7 LUX			IBIMDWM IBIMDCE IBIMDFM IBOMDWM IBOMDCE IBOMDSM IBOMDSS	
IR CAMERA		LENS		
IRDP560FD 1/3" Sony Super HAD CCD II, 560 TVL, 3.6mm Fixed Lens, IR, 0 Lux, 3D-DNR, DSS, Range 35M, Built-in OSD			IFLN2812M IFLN2812D IFLN3580M IFLN3580D IFLN6015M IFLN6015D IFLN6060M IFLN6060D IFLN50100D	
IRDP560DT 1/3" Sony Super HAD CCD II, 560 TVL, ICR Varifocal 2.8~11mm, IR, 0 Lux, 3D-DNR, DSS, TDN, Range 35M			Varifocal CS Mount Lens	
IRD550F/V9 1/3" Sony Super HAD CCD, 550 TVL, 30 LED, IR, 3.6mm Fixed / 4~9mm Varifocal Range 20M				
IRBS560F/V 1/3" Sony Super HAD CCD, 560 TVL, 54 LED, IR Long Range, 6mm Fixed/5~50mm Varifocal Range 80M				
IRVDP560DT 1/3" Sony Super HAD CCD II, 560 TVL, ICR Varifocal 2.8~11mm, 0 Lux, 3D-DNR, DSS, TDN, Range 35M				

PRODUCT LINE UP

DIGITAL VIDEO RECORDER		MEGAPIXEL BOX CAMERA	
IF-HQ16PX 16 Channels H.264 Compression 480/400fps real-time recording @ 2CIF, 4 SATA disk option	1P		INV210-MH/MHP 2 Megapixel IP Camera, 1/2.5" CMOS Sensor, 10x Optical Zoom HDMI output and PoE option
IF-HQ08PX 8 Channels H.264 Compression 240/400fps real-time recording @ D1, 4 SATA disk option			INV230-MS10 2 Megapixel IP Camera, 1/2.5" CMOS Sensor, 10x Optical Zoom HDMI output, HD-SDI, TDN
IF-HQ16SX 16 Channels H.264 Compression 480/400fps real-time recording @ CIF, 2 SATA disk option			INV230-MH18 2 Megapixel IP Camera, 1/2.5" CMOS Sensor, 18x Optical Zoom HDMI output, HD-SDI, TDN
IF-HQ08SX 8 Channels H.264 Compression 240/400fps real-time recording @ 2CIF, 2 SATA disk option			INV220-MH/MHP/MHT/MHTP 1.3 Megapixel IP Camera, Sony Progressive CCD image sensor, HDMI and PoE, TDN options
IF-HQ04SX 4 Channels H.264 Compression 120/100fps real-time recording @ D1, 2 SATA disk option			INV220-MC/MCP/MCT/MCTP 1.3 Megapixel IP Camera, Sony Progressive CCD image sensor, Composite and PoE, TDN options
IF-HQ16EX 16 Channels H.264 Compression 480/400fps real-time recording @ CIF, 1 SATA disk option			INV220-MBIR 1.3 Megapixel IP Bullet Camera, Sony Progressive CCD image sensor, Composite, IR 44 LEDs
IF-HQ08EX 8 Channels H.264 Compression 240/400fps real-time recording @ 2CIF, 1 SATA disk option			MEGAPIXEL DOME
IF-HQ04EX 4 Channels H.264 Compression 120/100fps real-time recording @ D1, 1 SATA disk option			INV610-MC/MCP 1.3 Megapixel IP Dome Camera, Sony Progressive CCD image sensor, Vandal Proof, IRC and PoE option
VIDEO SERVER			INV610-MCI/MCIP 1.3 Megapixel IP Dome Camera, Sony Progressive CCD image sensor, Vandal Proof, IR LED, IRC and PoE option
INVS100-H 1ch, Encoder/Decoder, Full HD 1980x1080 at 30 fps, H.264 compression			
INVS200-D 1ch Duplex, Encoder/Decoder/Duplex, 30fps/25fps @ full D1, H.264 compression, PoE			ANALOG IP BOX CAMERA
INVS300-D 1ch Duplex, Encoder/Decoder, 30fps/25fps @ full D1, H.264 compression, Dual Stream			INV241-AD/ADP/ADT/ADTP Full D1, Box type Network camera, 540 TVL line, Dual Streaming (H.264/MJPEG) and PoE, TDN option
INVS400-D 4ch, Encoder, each channel 30fps/25fps @ full D1, H.264 compression			INV251-AW/AWP Full D1, Box type Network camera, 540 TVL, Dual Streaming (H.264/MJPEG), WDR and PoE option
MEGAPIXEL PTZ DOME			ANALOG IP DOME
INV710-MX10S 2.0 Megapixel 1/3" CMOS Image Sensor, 1920x1080 at 30fps, 10x optical zoom, TDN			INV641-A/AP Full D1, Vandal Proof Dome type Network camera, 540 TVL, H.264, Dual Streaming (H.264/MJPEG) and PoE option
INV711-MX18H 1.3 Megapixel 1/3" CMOS Image Sensor, 1280x720 at 30fps, 18x optical zoom, TDN			INV641-AIT/AITP Full D1, Dome type Network camera, 540 TVL, H.264, Dual Streaming (H.264/MJPEG), 18 IR LEDs, TDN, ICR and PoE option

PRODUCT LINE UP

ANALOG IP PTZ DOME	
INV440-A10 IP Mini PTZ Camera, 1/4 Sony EX-View CCD, x10 optical zoom, x10 digital zoom, TDN, WDR	
INV450-A26 IP PTZ Camera, 1/4 Sony EX-View CCD, x26 optical zoom, TDN, WDR	
INV450-A36 IP PTZ Camera, 1/4 Sony EX-View CCD, x36 optical zoom, TDN, WDR	
SYSTEM CONTROLLER IP	
IFKB-IP Infinique Keyboard controller for IP cameras	
ACCESSORIES	
FOR IP SPEED DOME CAMERA IBK-10W - wall bracket for mini speed dome IBK-10C - ceiling bracket for mini speed dome IBK-XW - wall bracket for speed dome IBK-XC - ceiling bracket for speed dome IBK-XP - pole mount bracket for speed dome IBK-XR - corner mount bracket IBK-XS - sun shield	
NETWORK VIDEO SOFTWARE	
IVR16/36/64/128 Infinique Network Video Recorder For 16, 36, 64 and 128 channels.	
ISTM-100 Infinique remote streaming server software for 100 users	